

Workshop on derived categories

ZEIT:

16.7.2006, 15:00 Uhr - 17.7.2006, 18:30 Uhr

ORT:

Freie Universitaet Berlin II. Mathematisches Institut Arnimallee 3, Hörsaal 1 14195 Berlin

PROGRAMM:

16.7.2006

15:15 - 16:30 Georg Hein

Introduction to derived categories

In this talk we will give an introduction to derived categories. Focusing on examples, there will also be plenty of motivation for this gadget from homological algebra. Concrete calculations should provide a feeling for the behavior of derived categories. Although not a subject of this talk, derived categories are now considered standard tools in algebraic geometry and mirror symmetry among many other branches.

16:45 - 18:00 David Ploog

Introduction to Fourier-Mukai transforms

In this talk, we will have a look at the buzzword 'Fourier-Mukai transform' from a very concrete point of view. In addition to examples like Mukai's pairing for dual abelian varieties, we will also give connections to similar transformations which are well-established on more classical structures like ordinany cohomology. The examples might also provide motivation as to why the derived category enters the picture at all.

18:15 - 20:00 Alexei Bondal

Kontakt: Humboldt-Universität zu Berlin . Institut für Mathematik SFB 647 . Unter den Linden 6 . 10099 Berlin Tel. +49 30 2093 1804 . Fax. +49 30 2093 2727 sfb647@math.hu-berlin.de

Generators in triangulated categories

We will discuss various versions of generators in triangulated categores especially those applicable to the derived categories of coherent sheaves. An analogue of Brown representability theorem from homotopy topology will be proved. Interpretation of smoothness, algebraicity and properness of varieties, expressed in categorial terms, will be given.

17.7.2006

15:15 - 16:30 Pawel Sosna

Tensor triangulated categories

We will have a look at Paul Balmers construction of the spectrum of so called prime ideals in tensor trangulated categories. Applied to the category of perfect complexes of a scheme, this spectrum is homeomorphic to the topological space of the scheme and therefore provides a new approach to certain questions in algebraic geometry.

16:45 - 18:00 Bernd Kreussler

The derived category of singular cubic curves

A few years ago, inspired by work of M.R. Douglas on -stability for Dirichlet branes in string theory, T. Bridgeland introduced stability conditions on triangulated categories. A key ingredient for these structures are so-called Harder-Narasimhan filtrations (HNFs). The aim of this talk is to demonstrate how Bridgeland 's HNFs can be used to obtain a detailed insight into the structure of the bounded derived category of coherent sheaves on a singular cubic curve. This talk reports on joint work with I. Burban.

18:15 - 20:00 Alexei Bondal

Derived categories of complete intersections of quadrics

We will start from the theory of quadratic complexes of curves, which is a subject of classical algebraic geometry and will develop it to the categorical level by interpreting it as a semiorthogonal decomposition of the derived category of coherent sheaves on the complete intersection of quadrics. Some generalizations and the relation to mirror symmety will be described.